

SAX 200

Design: Alain Monnens



Ceiling lamp


CHOOSE YOUR OWN COLOUR!

Lamps from the Sax family represent an alternative to all surfacemounted downlighters. Its 26 different variations cover the entire spectrum of lighting-design requirements. The choice of different light sources means that this model also boasts a wide range of applications. Following the latest trends in energy efficiency, Sax offers a choice of five different light sources in seven different variations, from 12V or 230V spots for mood lighting to fluorescents for general lighting purposes.

Sax comes in three standard lengths and two standard colours: black and white. As a special feature, custom-made colours are available based on the RAL colour scheme. Choose your colour and jazz up your space with the Sax lamp, and let the light flow like music into the room. Ready to play?

Material: aluminium

Colours: white, black, CRC (Custom Standard RAL Colour)



Vertigo Bird


Tržaška cesta 222
1000 Ljubljana, Slovenija
t: +386 1 256 21 74
f: +386 1 423 50 25
vertigo@vertigo-bird.com
www.vertigo-bird.com

Specifications

Light source	E27 (PAR 30 halogen max.1x 100W or *PAR 38 1x20-23W Compact Fluorescent Lamp or HALOLED 12W)
Code	V01011 5111 / black V01011 5211 / white V01011 5011 / **CRC

* MEGAMAN reflector BR0620 / BR0623
** CRC - Custom standard RAL colour

Typology	ceiling lamp
Light emission	direct
Class	⊕
Installation	▽
IP rating	IP20
Certificate	CE ISO 9001



SAX 285

Design: Alain Monnens



Ceiling lamp


CHOOSE YOUR OWN COLOUR!

Lamps from the Sax family represent an alternative to all surfacemounted downlighters. Its 26 different variations cover the entire spectrum of lighting-design requirements. The choice of different light sources means that this model also boasts a wide range of applications. Following the latest trends in energy efficiency, Sax offers a choice of five different light sources in seven different variations, from 12V or 230V spots for mood lighting to fluorescents for general lighting purposes.

Sax comes in three standard lengths and two standard colours: black and white. As a special feature, custom-made colours are available based on the RAL colour scheme. Choose your colour and jazz up your space with the Sax lamp, and let the light flow like music into the room. Ready to play?

Material: aluminium

Colours: white, black, CRC (Custom Standard RAL Colour)




Vertigo Bird

Tržaška cesta 222
1000 Ljubljana, Slovenija
t: +386 1 256 21 74
f: +386 1 423 50 25
vertigo@vertigo-bird.com
www.vertigo-bird.com

Specifications

Light source	E27 (PAR 30 halogen max. 1x 100W or *PAR 38 1x20-23W Compact Fluorescent Lamp or HALOLED 12W)
Code	V01011 5112 / black V01011 5212 / white V01011 5012 / **CRC
Light source	G53, QR-111 max. 1x100w
Code	V01011 5122 / black V01011 5222 / white V01011 5022 / **CRC
Light source	GX 8.5, CDM-R 111 1x35W
Code	V01011 5132 / black V01011 5232 / white V01011 5032 / **CRC
Typology	ceiling lamp
Light emission	direct
Class	⊕
Installation	▽
IP rating	IP20
Certificate	CE ISO 9001

* MEGAMAN reflector BR0620 / BR0623
** CRC - Custom standard RAL colour



SAX 440

Design: Alain Monnens



Ceiling lamp


CHOOSE YOUR OWN COLOUR!

Lamps from the Sax family represent an alternative to all surfacemounted downlighters. Its 26 different variations cover the entire spectrum of lighting-design requirements. The choice of different light sources means that this model also boasts a wide range of applications. Following the latest trends in energy efficiency, Sax offers a choice of five different light sources in seven different variations, from 12V or 230V spots for mood lighting to fluorescents for general lighting purposes.

Sax comes in three standard lengths and two standard colours: black and white. As a special feature, custom-made colours are available based on the RAL colour scheme. Choose your colour and jazz up your space with the Sax lamp, and let the light flow like music into the room. Ready to play?

Material: aluminium

Colours: white, black, CRC (Custom Standard RAL Colour)




Vertigo Bird

Tržaška cesta 222
1000 Ljubljana, Slovenija
t: +386 1 256 21 74
f: +386 1 423 50 25
vertigo@vertigo-bird.com
www.vertigo-bird.com

Specifications


Light source	E27 (PAR 30 halogen max. 1x 100W or *PAR 38 1x20-23W Compact Fluorescent Lamp or HALOLED 12W)
Code	V01011 5113 / black V01011 5213 / white V01011 5013 / **CRC
Light source	G53, QR-111 max. 100w
Code	V01011 5123 / black V01011 5223 / white V01011 5023 / **CRC
Light source	GX 8.5, CDM-R 111 1x35W
Code	V01011 5133 / black V01011 5233 / white V01011 5033 / **CRC
Typology	ceiling lamp
Light emission	direct
Class	⊕
Installation	▽
IP rating	IP20
Certificate	CE ISO 9001




Photometric data SAX 200




fluorescent, PAR 38 - E27, 20W, 110°




halogen reflector, PAR 30 - E27, 100W, 30°





halogen reflector, PAR 30 - E27, 75W, 30°



LED reflector, HALOLED- E27, 12W -warm white, 40°



LED reflector, HALOLED- E27, 12W -warm white, 25°













Vertigo Bird

Tržaška cesta 222
 1000 Ljubljana, Slovenija
 t: +386 1 256 21 74
 f: +386 1 423 50 25
 vertigo@vertigo-bird.com
 www.vertigo-bird.com

Please note:

Tolerance on the values calculated from photometrics: ±15%
 Max. illuminance levels (lx) are measured on luminaire's axis

Photometric data SAX 285 / SAX 440



Vertigo Bird

Tržaška cesta 222
 1000 Ljubljana, Slovenija
 t: +386 1 256 21 74
 f: +386 1 423 50 25
 vertigo@vertigo-bird.com
 www.vertigo-bird.com


Please note:

Tolerance on the values calculated from photometrics: ±15%
 Max. illuminance levels (lx) are measured on luminaire's axis


Photometric data SAX 285 / SAX 440




halogen reflector, Qr 111 - G53, 100W, 45°





metal halide reflector, CDM-R 111, GX 8.5, 35W, 40°



metal halide reflector, CDM-R 111, GX 8.5, 35W, 24°



metal halide reflector, CDM-R 111, GX 8.5, 35W, 10°



Vertigo Bird

Tržaška cesta 222
 1000 Ljubljana, Slovenija
 t: +386 1 256 21 74
 f: +386 1 423 50 25
 vertigo@vertigo-bird.com
 www.vertigo-bird.com

Please note:

Tolerance on the values calculated from photometrics: ±15%
 Max. illuminance levels (lx) are measured on luminaire's axis